## NG-Trap: Trap System for Measuring Neutron Capture Cross Section of Short-lived Neutron Rich Isotopes

Heinrich Wilsenach,<sup>1</sup> Timo Dickel,<sup>1,2</sup> Israel Mardor,<sup>3,4</sup> Emma Haettner,<sup>2</sup>

Wolfgang R. Plaß,<sup>1,2</sup> Christoph Scheidenberger,<sup>1,2,5</sup> and Mikhail Yavor<sup>6</sup>

<sup>1</sup>II. Physikalisches Institut, Justus-Liebig-Universität Gießen, Gießen, Germany

<sup>2</sup>GSI Helmholtzzentrum für Schwerionenforschung GmbH, Darmstadt, Germany

<sup>3</sup>Tel Aviv University, Tel Aviv, Israel

<sup>4</sup>Soreq Nuclear Research Center, Yavne, Israel

<sup>5</sup>Helmholtz Research Academy Hesse for FAIR (HFHF),

GSI Helmholtz Center for Heavy Ion Research, Campus Gießen, Germany <sup>6</sup>Russian Academy of Sciences, St. Petersburg, Russia

Neutron-capture cross-sections of radioactive neutron-rich isotopes have a wide impact on nuclear astrophysics, nuclear reactions and nuclear structure studies. Measurement of these cross-sections is currently considered impossible due to the instability of the targets and projectile. We propose a method to overcome this limitation. We plan to stop and thermalise fission fragments in a cryogenic stopping cell. These fragments will then form a cooled low-energy beam transported into an RF trap system (coined 'NG-Trap' [1]). An intense neutron beam will then irradiate this trapped 'cloud target'. The reacted ions will be mass-selected, identified and counted using a multiple-reflection time-of-flight mass-spectrometer (MR-TOFMS), thus extracting  $(n,\gamma)$  cross-sections.

This talk will present preliminary results towards the goal of generating the required 'cloud target'. A demonstrator system based on a triple-RFQ system[2] with an ion capacity of more than 10<sup>10</sup> ions will be presented. This system is a major milestone of the plan to install a high-capacity trap at the Soreq Applied Research Accelerator Facility (SARAF), currently under construction in Yavne, Israel.

- [1] T. Dickel *et al.*, EPJ Web of Conferences **260**, 11021 (2022).
- $[2]\,$  E. Haettner et al., Nucl. Instr. Meth. A  ${\bf 880},\,138$  (2018).
- [3] I. Mardor *et al.*, Eur. Phys. Jour. A **54**, 91 (2018).